



# Graco® Mobile Spray Rigs

Self-Contained Systems for Coatings and Foam Applications



## Designed for Spraying. Built to Last.

- Turnkey system – includes everything you need to be job-site ready
- Better temperature control of materials which results in better yields
- Solid construction – engineered to support the weight of equipment and materials
- Rugged design handles extreme job environments
- Safety features and climate control built into the design

PROVEN QUALITY. LEADING TECHNOLOGY.

# Solid Investment.

Graco® Mobile Spray Rigs. A great way to expand or get into the spray business.

## Graco Mobile Spray Rigs include these standard items:


- Graco proportioning equipment, heated hose, spray guns
- Material supply systems
- Diesel generator
- Air compressor



Martech system provides grade D quality breathable air.



Save floor space with an optional rotary screw compressor / generator.



Insulated for better temperature control and structural integrity.




## Here's why a Graco Mobile Spray Rig makes sense for your business:

- Convenience. Everything you need is contained in one mobile location. No more loading and unloading your vehicles.
- Less set-up time. You're up and running right away.
- Faster setup means better productivity and improved profits.
- No more equipment rental delays and no more wasted time searching for power sources.
- Your trailer and equipment investment is protected by standard Graco warranty.

## Better ambient temperature control. Better yields.

A spray rig is essentially a mobile plant that helps control temperatures surrounding your ISO and resin materials. So in cold weather, it's easier to get materials up to spray temperatures. In warm weather, air conditioning helps prevent material overheating and expanding drums, and keeps humidity at acceptable levels. In short, by storing materials at temperatures closer to material manufacturers' recommendations, you have better control of the reaction between A and B materials, which leads to better material yields.



Standard configuration shown above. Other configurations are available.

# Solid Construction.

Designed especially for coatings and foam spray applications – built tough to withstand rugged worksite locations.

## A full line of solutions to choose from

### 28 ft gooseneck

- Graco's top-of-the line trailer
- Offers the most workspace
- Safer and easier to maneuver
- Holds three kits of material for less downtime

### 20 ft tag-along

- Graco's mid-level trailer
- Foam insulated for inside ambient temperature control
- Holds two kits of material

### 16 ft tag-along

- Entry-level trailer
- A cost-effective solution for starting your spray business
- Lowest capital investment

### Customized solutions

- Additional options provided per customer specifications
- Customer-supplied box truck
- Customer-supplied sea containers

## 1. CHOOSE A TRAILER OR BOX TRUCK

- 28 ft (8.5m) gooseneck trailer (8 ft / 2.4m height)
- 20 ft (6m) tag-along trailer (8 ft / 2.4m height)
- 16 ft (5m) tag-along trailer (7 ft / 2.1m height)
- Box truck
- Sea containers
- 53 ft (16m) trailers for roofing and Xtreme Mix

### All trailers and box trucks include:

- Proper ventilation. Engineered louver system designed to keep the generator from overheating
- Color-coded drum restraints
- Insulated partition wall between utilities and cabin. This separates the generator from the proportioner – reducing noise during operation
- Electrical system with control panel
- Hose hanger (up to 410 ft / 125m capacity)
- 1/4 in (.635cm) plywood walls, double 3/4 in (1.9 cm) plywood flooring (trailers only)
- Heavy-duty 8 in (20.3 cm) main beam construction (trailers only)
- Custom barrel brace set
- Two ABC approved fire extinguishers
- Deluxe first aid kit

## 2. CHOOSE YOUR SPRAY EQUIPMENT

### Proportioner:

Reactor® H-40  
Reactor H-25  
Reactor E-30  
Reactor E-20  
Reactor H-XP3  
Reactor H-XP2  
Reactor E-XP2  
Reactor A-20  
Xtreme Mix™

### Gun Package:

Fusion® Air Purge  
Fusion Mechanical Purge  
Gusmer® GX-7  
GX-8  
GX-DI  
Gap Pro  
D-Gun  
XTR Gun  
Flex Plus™ Gun

### Hoses:

2000 psi  
3500 psi  
5000 psi  
7250 psi (Water-jacketed hose available)

## 3. CHOOSE A GENERATOR

- 40 KW diesel
- 60 KW diesel

### Generator packages include:

- Installation and wiring
- E-stop
- Hardware
- Shut down alarms
- Correct sizing for application

## 4. CHOOSE YOUR AIR EQUIPMENT

- Rotary screw compressor (40 cfm) integrated with generator saves valuable floor space (60 cfm model is optional)
- 5 hp Champion compressor (17.5 cfm)
- 5 hp Champion compressor (Vertical) (17.5 cfm)
- 10 hp Champion compressor (35 cfm)

### All air systems include:

- Installation and plumbing
- Refrigerated dryer – 225°F (107°C) inlet temperature ensures proper air drying in any climate
- Filtration
- Regulators
- Quick disconnects
- Correct sizing for application

## 5. CHOOSE YOUR OPTIONS

- Custom workbench
- Custom cabinets
- Counter lighting
- Feed pump system
- Band heater with thermostat
- Rooftop A/C unit
- Drum mixer
- Polyurea and diamond plate flooring
- Hose hanger (for heated hose assemblies)
- Circulation system
- Fresh air supply
- Custom trailer graphics and installation



## ABOUT GRACO

### PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

## GRACO LOCATIONS

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612.623.6000  
Fax: 612.623.6777

### AMERICAS

#### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88-11th Avenue N.E.  
Minneapolis, MN 55413

### EUROPE

#### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32.89.770.700  
Fax: 32.89.770.777

### ASIA PACIFIC

#### AUSTRALIA

Graco Australia Pty Ltd  
P.O. Box 558  
Level 2 / 541 Blackburn Rd.  
Mount Waverley VIC 3149  
Australia  
Tel: 61.3.9550.0848  
Fax: 61.3.9550.0816

#### CHINA

Graco Fluid Equipment  
(Shanghai) Co. Ltd.  
Room 118 1st Floor  
No.2 Xin Yuan Building  
No.509 Cao Bao Road  
Shanghai, P.R. China 200233  
Tel: 86.21.649.50088  
Fax: 86.21.649.50077

#### INDIA

Graco Hong Kong Ltd.  
India Liaison Office  
Room 103, Level 4, Augusta Point  
Golf Course Road  
Gurgaon, Haryana, India 122001  
Tel: +91.124.435.4208  
Fax: +91.124.435.4001

#### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81.45.593.7300  
Fax: 81.45.593.7301

#### KOREA

Graco Korea Inc.  
Choheung Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-Si, Gyeonggi-Do,  
Korea 431-060  
Tel: 82(Korea).31.476.9400  
Fax: 82(Korea).31.476.9801

## SALES/DISTRIBUTION/SERVICE

Call today for product information or to request a demonstration.

**1.877.84GRACO (1-877-844-7226)** or visit us at [www.graco.com](http://www.graco.com).

Graco Inc. is registered to I.S. EN ISO 9001

North America  
Industrial Customer Service  
800-328-0211  
FAX 877-340-6427